L Number	Hits	Search Text	DB	Time stamp
2	9	(turbo or turbocharger or supercharger or "turbo	USPAT;	2004/09/24
3		supercharger" or "turbo compressor") and "transient	US-PGPUB;	10:40
		response time"	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	141	(turbo or turbocharger or supercharger or "turbo	USPAT;	2004/09/24
		supercharger" or "turbo compressor") and (transient	US-PGPUB;	10:40
		near3 time)	EPO; JPO;	
		,	DERWENT:	
			IBM_TDB	
4	0	(turbo or turbocharger or supercharger or "turbo	USPAT;	2004/09/24
	-	supercharger" or "turbo compressor") and (transient	US-PGPUB;	10:41
		near3 time) and (varaible near3 geometry)	EPO; JPO;	10112
		(and (and () and (DERWENT;	
			IBM_TDB	
6	1	(turbo or turbocharger or supercharger or "turbo	USPAT;	2004/09/24
	-	supercharger" or "turbo compressor") and (transient	US-PGPUB;	10:42
		near3 time) and (variable near3 geometry) and (pulse	EPO; JPO;	10.12
		near3 (control or controls or controlling or controlled))	DERWENT:	
		(control control control controlled))	IBM_TDB	
7	6	(turbo or turbocharger or supercharger or "turbo	USPAT;	2004/09/24
·	J	supercharger" or "turbo compressor") and (transient	US-PGPUB;	10:42
		near3 time) and (variable near3 geometry) and (pulse and	EPO; JPO;	10.42
		(control or controls or controlling or controlled))	DERWENT;	
		(control of controls of controlling of controlled))	IBM_TDB	
5	22	(turbo or turbocharger or supercharger or "turbo	USPAT;	2004/09/24
	6-6-	supercharger" or "turbo compressor") and (transient	US-PGPUB;	10:44
		near3 time) and (variable near3 geometry)	EPO; JPO;	10.44
		hears time, and (variable hears geometry)	DERWENT;	
			IBM_TDB	
8	18	"5680763"	USPAT;	2004/09/24
	10	3000703	US-PGPUB;	12:12
			EPO; JPO;	12.12
			DERWENT;	
			IBM_TDB	
9	2	ep-786589-A\$.did.	USPAT;	2004/09/24
	_	ep 700005 714.aid.	US-PGPUB;	10:46
			EPO; JPO;	10.40
			DERWENT;	
			IBM_TDB	
10	9	"5121604"	USPAT;	2004/09/24
		3121004	US-PGPUB;	12:07
			EPO; JPO;	12.07
			DERWENT;	
			IBM_TDB	
11	136	60/602.ccls. and pulse	_	2004/00/24
	130	00/ 002.ccis. unu puise	USPAT;	2004/09/24
			US-PGPUB;	12:08
			EPO; JPO;	
			DERWENT;	
			IBW_TDB	

<i>1</i> Δ	2004/09/24	USPAT;	60/602.ccls. and pulse and (amplitude or height) and	6	12
_ T	12:09	US-PGPUB;	(duration or width)	0	16
	12.05	EPO; JPO;	(adianonor widing		
		DERWENT;			
		IBM_TDB			
24	2004/09/24	USPAT;	60/602.ccls. and (amplitude or height) and (duration or	5	13
- '	12:11	US-PGPUB;	width) and (transient or transition or transitional or		10
	1	EPO; JPO;	transit)		
		DERWENT;	Transity		
		IBM_TDB			
24	2004/09/24	USPAT;	60/602.ccls. and (amplitude or height) and (duration or	0	14
	12:11	US-PGPUB;	width) and (different near3 (parameters or parameter))		• '
		EPO; JPO;	whathy and (arrier off) hear o (parameter of or parameter)		
		DERWENT:			
		IBM_TDB			
24	2004/09/24	USPAT;	60/602.ccls. and (amplitude or height) and (duration or	6	15
	12:12	US-PGPUB;	width) and (different and (parameters or parameter))	_	
	1	EPO; JPO;	, (
		DERWENT:			
		IBM_TDB			
24	2004/09/24	USPAT;	(turbo or turbocharger or supercharger or "turbo	180	1
	12:12	US-PGPUB;	supercharger" or "turbo compressor") and "transient		
		EPO; JPO;	response"		
		DERWENT;	'		
		IBM_TDB			
24	2004/09/24	USPAT;	(60/600-603.ccls.) and (amplitude or height) and	0	16
	12:13	US-PGPUB;	(duration or width) and (different near3 (parameters or		
		EPO; JPO;	parameter))		
		DERWENT;			
		IBM_TDB			,
24	2004/09/24	USPAT;	(60/600-603.ccls.) and (amplitude or height) and	7	17
	12:13	US-PGPUB;	(duration or width) and (different and (parameters or		
		EPO; JPO;	parameter))		
		DERWENT;			
		IBW_TDB			
<u> </u>	2004/09/24	USPAT;	(60/600-603.ccls.) and (amplitude or height) and	11	18
	12:15	US-PGPUB;	(duration or width) and (different and (parameters or		
		EPO; JPO;	parameter or speed or speeds or output or outputs))		
		DERWENT;			
		IBM_TDB	//0//00 /00 I \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		10
:4	2004/09/24	USPAT;	(60/600-603.ccls.) and (different and (parameters or	373	19
	12:14		parameter or speed or speeds or output or outputs))		
. 4	2004/00/04	_	(60/600 603 cold) and (different news) (40	20
. -1			· ·	לם	۲0
	12.14		barameter or speed or speeds or outballor or outballs))		
,4	2004/09/24		(60/600-603 ccls) and (amplitude or height) and	7	21
·r			· · · · · · · · · · · · · · · · · · ·	'	
	16.10				
		DERWENT;	pressure or temperature or boost))		
			F		
2	2004/09/2 12:14 2004/09/2 12:14 2004/09/2 12:16	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	parameter or speed or speeds or output or outputs)) (60/600-603.ccls.) and (different near3 (parameters or parameter or speed or speeds or output or outputs)) (60/600-603.ccls.) and (amplitude or height) and (duration or width) and (different near3 (parameters or parameter or speed or speeds or output or outputs or	69	20

22	35	(60/600-603.ccls.) and pulse and (different near3	USPAT;	2004/09/24
		(parameters or parameter or speed or speeds or output	US-PGPUB;	12:21
		or outputs or pressure or temperature or boost))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
23	38	(60/600-603.ccls.) and switch and (different near3	USPAT;	2004/09/24
		(parameters or parameter or speed or speeds or output	US-PGPUB;	14:35
		or outputs or pressure or temperature or boost))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
24	11	"5867986"	USPAT;	2004/09/24
			US-PGPUB;	14:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	